

Arboviral Surveillance and Response Capacity Survey 2021

Section I: Respondent details

1. Country

Tunisia

2. Respondent/person to be contacted for clarification, if needed (last name, first name, e-mail address)

3. Professional title and affiliation

4. Date (dd/mm/yyyy)

26/5/2021

Section II: Arboviral disease surveillance system

5. Which arboviruses have circulated in your country at any time since the year 2000? This refers only to arboviruses with autochthonous i.e., local mosquito-borne transmission.

Chikungunya	Not selected
Dengue	Not selected
Yellow fever	Not selected
Zika	Not selected
Other	West Nile Virus

6. Do you have any written arbovirus surveillance and control plan(s) and/or guideline(s) for your country?

Yes, we have arbovirus-specific plans(s) or guidelines(s)

6b. For which of the following arboviruses do you have written surveillance and control plans for your country? Please choose all that apply.

Chikungunya	Not selected
Dengue	Not selected
Yellow fever	Not selected
Zika	Not selected
Other	West Nile Virus

6c. Please upload surveillance and control plan(s) or protocol(s), or guideline(s)
 2 file(s) submitted

7. Is there a specific national programme for arboviral diseases surveillance or is it integrated in another programme? Please select the appropriate answer:
 Specific programme

7b. Please specify the programme into which arboviral diseases is integrated

8. For which level of the health structure are individual and aggregated data available? (Select all relevant levels)

	Individual level	Aggregated
Primary health care level	Not selected	Not selected
District level	Yes	Yes
Regional level	Yes	Yes
National level	Yes	Yes

9. What are the tools used for recording case data for surveillance purposes? Select all that apply

National	Électronic
State/provincial	Mixed methods
District	Mixed methods

10. Which training has been provided to the staff working on arboviral disease surveillance data?

One-time basic training on data capture and analysis (MS Excel, MS Access, EpiInfo) and/or geographic information systems (GIS)	Not selected
Repeated/continuing basic training on data capture, analysis, and/or GIS	Not selected
One-time advanced training on statistical software for data analysis (e.g. STATA, R, SAS, Tableau, etc)) and GIS	Yes
Repeated/continuing training on advance statistical software for data analysis (eg STATA, R, SAS, etc) and GIS	Not selected
No training	Not selected

11. Is reporting mandatory for any arboviral disease cases in your country?

Yes

11b. For which of the following arboviral disease cases is reporting mandatory in your country?

Yellow fever	Mandatory reporting of all suspect cases
Other	Mandatory reporting of all suspect cases

11c. For which other arboviral diseases is reporting mandatory?

1	West Nile Virus	tous cas suspects
---	-----------------	-------------------

11d. Please upload document(s) containing surveillance case definitions used for reporting of arboviral diseases

1 file(s) submitted

12. In the last 2 years, did your country conduct national epidemiological surveillance for human cases of arboviral disease?

Yes

12b. How frequently are surveillance data reported to the national level?

Weekly

12c. What type of national epidemiological surveillance was conducted?

Primarily passive

For reference, here are the relevant definitions:

Active surveillance is defined as having dedicated systems and staff that routinely and with effort survey for cases of disease or detection of vectors and associated pathogens by the public health department.

Passive surveillance is defined as having a reporting system where physicians, laboratories, mosquito control districts, academic institutions or others routinely report cases of disease or detection of vectors and associated pathogens to the public health department.

12d. If available, please upload the most recent report(s) on arboviral surveillance in humans

1 file(s) submitted

13. Does your country provide regular training sessions for healthcare workers on notification of *Aedes*-borne arboviral diseases?

Yes : des sessions de formation inter régionales impliquant le personnel de la santé sont organisées chaque année, l'Observatoire National des Maladies Nouvelles et Emergentes organise des journées de formation et de sensibilisation sur les arboviroses émergentes, West Nile, Chikungunya, Dengue et Zika pour les professionnels de la santé du secteur public et privé et des vétérinaires

14. What do the arboviral disease surveillance staff perceive as factors contributing to the a) success and b) barriers/challenges to arboviral disease surveillance in humans?

Renforcement des compétences par les journées de formation de sensibilisation

Section III: Arbovirus laboratory capacity

15. Is arbovirus diagnostic laboratory testing performed for confirmation of suspected cases in your country? (Please select the applicable option during outbreak periods and during non-outbreak periods, respectively)

Outbreak periods	All suspect cases tested
Non-outbreak periods	All suspect cases tested

15b. On average, for what percentage of suspected arboviral disease cases your country is laboratory confirmatory testing performed? Please indicate for outbreak and non-outbreak periods, respectively

16. In the last two years, were the positive cases of arboviruses confirmed by a national reference laboratory?

Yes, but only for some arboviral infections. Please specify them:

aucun cas suspect de Dengue ou de Chikungunya pour tous les cas positifs en sérologie pour le VWN, une PCR a été pratiquée par le laboratoire national de référence des arboviroses à l'Institut Pasteur de Tunis

16b. If your country does not have capacity to type and serotype arboviruses, do you send samples for typing to other countries?

NA

17. Overall, what arboviral testing capacity(ies) is(are) available in your country? Please check all applicable boxes

	Antigen testing	IgM antibody testing	IgG antibody testing	Neutralizing Virus antibody testing	Virus isolation	RT-PCR or other nucleic acid amplification test	Viral gene/genome Sequencing
Chikungunya	Yes	Yes	Yes			Yes	Yes
Dengue	Yes	Yes	Yes			Yes	Yes
Yellow fever	Yes	Yes	Yes			Yes	Yes
Zika	Yes	Yes	Yes			Yes	Yes
Other	Yes	Yes	Yes	Yes		Yes	Yes

18. Which additional resources are most needed for your country to perform adequate testing for arboviral diseases? Please describe what would be needed for each checked resource in the adjacent comment field

Additional personnel: Yes

Estimate of number of full-time staff: 10

Additional training of personnel: formation en biosécurité techniques de séquençage

Additional laboratory equipment, reagents, etc.: réactifs sérologiques et RT-PCR

Other capacity needs: automate

19. Do you perform virological surveillance on humans, ie, tracking of prevailing genotypes/serotypes? Please select all that apply

Yes, using RT-PCR: PCR WN

Yes, using serological testing. Please specify: sérologie WN IgM et IgG

19b. Which samples do you use for virological surveillance?

Samples from suspected arboviral diseases routinely notified	Yes
Samples routinely collected from patients with fever of unknown origin	Not selected

19c. For which viruses do you perform virological surveillance? (check all that apply)

Chikungunya virus	Not selected
Dengue viruses	Not selected
Yellow fever virus	Not selected
Zika virus	Not selected
Other	WNV

19d. Does your country provide regular training sessions for healthcare workers on arboviruses virological surveillance?

Yes

20. What do the arboviral diagnostic laboratory staff perceive as factors contributing to the a) success and b) barriers/challenges with respect to laboratory testing for arboviral infections?

nous avons un manque de personnel dans les laboratoires qui sont sollicités pour toutes les viroses émergentes, actuellement tout le monde est mobilisé par la COVID

Section IV: Management of arboviral disease cases

21. Does your country have clinical guidelines for healthcare workers on diagnosis and clinical management of cases and severe cases of *Aedes*-borne arboviral diseases?

I don't know

21b. Please upload the clinical guideline(s) for arboviral disease management

22. Are severe cases of arboviral diseases managed in a special area (part of the hospital, isolation beds)?

No. If so, where are patients with severe disease treated? Please specify in comments field.

les cas graves d'arboviroses sont traités dans les services des maladies infectieuses, les services de réanimation et de pédiatrie

23. How many hospital beds are available per 100,000 population?

24. Does your country provide regular training sessions for healthcare workers on clinical diagnosis and management of *Aedes*-borne arboviral diseases?

No

25. What do the arboviral disease surveillance/clinical staff perceive as factors contributing to the a) success and b) barriers/challenges with respect to case management?

Section V: Routine vector surveillance and control

26. Is there a disease programme, agency, or service in charge of arbovirus vector surveillance in your country?

Yes. If so, please specify in the comment field.

La direction de l'hygiène du milieu et la protection de l'environnement DHMPE au niveau du ministère de la santé et le laboratoire d'entomologie de l'Institut Pasteur de Tunis IPT

27. Which institution/department is in charge of reporting entomologic surveillance data to the national ministry of health/health department? (Check all that apply)

State/provincial health agencies	Not selected
Other national agency	Not selected
City/country health departments	Yes
Local mosquito control districts or similar organisations	Not selected
Universities or academic institutions	Not selected
Private companies	Not selected

28. For the last 2 years, did your country conduct entomologic surveillance for arboviral infections in mosquito vectors?

Yes

28b. Please upload the most recent national vector surveillance report

0 file(s) submitted

28c. Did the entomologic surveillance entail country wide programmes or was it restricted to specific locations?

Country wide

28d. How many sentinel surveillance sites do you have?

28e. How often was the surveillance conducted? Please choose one of the following:

Every trimester

29. Do you conduct adult mosquito surveillance?

Yes

30. Do you conduct larval/pupal mosquito surveillance?

Yes

31. Are trapped mosquitoes identified to species?

Yes

32. Does your country either calculate minimum infection rates (MIR) for any *Aedes*-borne arboviruses with your mosquito data or receive such data from other agencies? Please choose only one of the following:

No

33. Which laboratories performed testing for arboviruses on mosquito pools collected in your country in the last two years? (check all that apply)

National public health laboratory	Yes
State/provincial/regional public health laboratory	Not selected
Local health department laboratory	Not selected
University or academic institution	Not selected
Local MCD (if different from county health dep't)	Not selected
Mosquito surveillance done, but no testing done on mosquito pools	Not selected
Not applicable (no mosquito surveillance done)	Not selected
Other	Institut de recherche vétérinaire

34. Is there a record of *Aedes aegypti* or *Aedes albopictus* being found in your country in the past 5 years? Please choose only one of the following

Yes, only *Aedes albopictus*

34b. Please describe the potential public health threat from *Aedes aegypti* in your country

34c. Please describe the potential public health threat from *Aedes albopictus* in your country

Aedes albopictus populations are restricted to few sites and do not yet pose a significant threat

35. Over the past two years, did your country use any of the following vector control methods in local jurisdictions (either using government staff and resources, or subcontracting to a different entity to do so)? Please select all that apply

Adulticiding (insecticide application against adult mosquitoes)	Yes
Larviciding	Yes
Insect growth regulators (eg , pyriproxyfen)	Not selected
Wolbachia method	Not selected
Sterile insect release	Not selected
None	Not selected
Other	gambusies

35b. Would your country have conducted or financially supported adulticiding/larviciding or source reduction activities in the last two years if sufficient funding were available?

35c. Which adulticides and/or larvicides (brand and product name) were used?

36. Does your country provide regular training sessions for staff in charge of vector control and vector surveillance?

Yes, only for vector surveillance

37. For the last two years, did your country have a plan for mosquito-borne disease control that includes a threshold (eg, level of vector mosquito abundance or minimum infection rate) that would result in a recommendation for mosquito adulticiding/other mosquito reduction measures?)

No – have a plan but there is no specific threshold

37b. Which indicator(s) is(are) used as threshold(s)?

38. Overall, are data on any of the following arboviral outbreak risk factors routinely collected and analysed? (Select all that apply)

House Index	Not selected
Breteau Index	Not selected
Container Index	Not selected
Temperatures	Yes
Rainfall	Yes
Migration of a non-immune population	Not selected
None	Not selected

39. Is there a surveillance system in place for monitoring *Aedes* resistance to the insecticide(s) used?

Yes

40. What do the vector surveillance staff perceive as factors contributing to the a) success and b) barriers/challenges with respect to vector surveillance and control in the country?

pour la lutte antivectorielle, c'est le ministère des affaires locales les municipalités qui sont responsables de cette lutte, le manque des moyens (transport, les produits et les ressources humaines) a fait que la lutte ne se fait pas à temps et pas régulièrement concernant la surveillance qui se fait par le ministère de la santé, les équipes régionales manque de ressources et de moyens de transport, les é dernières années cette surveillance n'a pas été faite convenablement

Section VI: Animal surveillance

41. During the last 2 years, did your country conduct national epidemiological surveillance for arboviral disease in animals (eg, epizootic surveillance for yellow fever in endemic areas)?

Yes

41b. How often was the animal surveillance conducted?

surveillance sentinelle sur 6 mois de mai à novembre

41c. What type of surveillance was conducted in animals?

Primarily active

41d. Please upload a report on the animal surveillance

1 file(s) submitted

42. Does your country (or local jurisdictions within the country) perform sentinel animal surveillance or epizootic surveillance, eg, for yellow fever in nonhuman primates in endemic regions?

Yes

42b. For which viruses is sentinel surveillance conducted and in which animal species?

Virus name	Sentinel animal species (list all)
West Nile	poulets

42c. Please upload the most recent report(s) on sentinel animal surveillance

0 file(s) submitted

Section VII: Community sensitization and participation

43. Does your country have a community outreach program that also covers arboviral diseases?

Yes

43b. What entity(ies) is(are) in charge of the outreach program in your country?

l'Observatoire national des maladies nouvelles et émergentes élabore les supports éducatifs: dépliants, affiches, spots télévisés et radio

43c. What is the geographical coverage of the outreach program in your country?

Countrywide

43d. Is the community outreach/social mobilization program sufficiently funded to cover staff time, prevention and outreach activities as needed?

Yes

43e. Which resources would help ensure adequate capacity?

Educational materials for the public	Not selected
Educational and reference materials for providers	Not selected
Educational and reference materials for local health departments	Yes
Additional staff	Yes
Staff training	Yes

44. Did your national arboviral disease program issue notifications to the public about local transmission risk and/or possible vector-control activities (eg larviciding, adulticiding, community mobilization and participation, etc) as a prevention message for arboviral diseases within last 2 years? (Check all that apply)

	During outbreaks	During non-outbreak periods
Issued by national public health agency	Not selected	Not selected
Issued by state/local health agencies	Yes	Yes
No risk in the past two years	Not selected	Not selected
No notifications even though risk was present	Not selected	Not selected

44b. Which means does your program use for community sensitization, mobilisation and acceptance of interventions in your country? (Check all that apply)

Press releases to electronic and printed media	Not selected
Public service announcements on television or radio	Yes
Passive distribution of informational brochures	Yes
Active distribution of informational brochures	Not selected
Town, community, or neighborhood meetings	Yes
Posting information on the home page of your agency's website	Not selected
Social media outlets (Facebook, Twitter, etc)	Not selected
Door-to-door outreach in selected locations	Not selected
Participation in community clean-ups	Not selected
Modification of messages for all local languages	Not selected

45. Does your country provide regular training sessions for staff in charge of community sensitization, mobilisation and acceptance of interventions dedicated to control arboviral diseases?

No

46. What do the community outreach staff perceive as factors contributing to the a) success and b) barriers/challenges with respect to community participation

Section VIII: Preparedness for arboviral outbreaks/epidemics

47. Is there either a surveillance and outbreak response committee in your country, or a steering committee for that purpose?

Yes

48. Does your country have a contingency plan to organize healthcare services during an outbreak (including outbreaks of arboviral diseases)?

Yes

48b. Please upload the contingency plan

0 file(s) submitted

49. Are there defined or established criteria for declaring an outbreak of arboviral disease outbreak in your country?

No

50. Do you have established collaborations with national/regional research institutions / international agencies that are planned to be activated in case of arboviral outbreak?

Yes. If so, please specify institutions/agencies in the comments field:

une convention avec le ministère de l'agriculture concernant la surveillance du VWN, santé vétérinaire et l'institut de recherche vétérinaire, le laboratoire national des arboviroses de Marseille France

51. What vector control interventions are deployed in case of an emergency?

adulticide, larvicide,

52. For the last 2 years, which of the following government levels had an emergency fund or a specified emergency funding mechanism for arbovirus outbreak response?

National level	Not selected
State/local level	Not selected
None	Yes

53. Does your country provide regular training sessions for staff/committee in charge of preparedness for arboviral outbreaks/epidemics?

Yes

54. What do the arboviral disease surveillance staff perceive as factors contributing to the a) success and b) barriers/challenges with respect to preparedness of arboviral diseases epidemics in your country?

Section IX: Arboviral disease surveillance data

55. Please provide total number of cases and deaths for the following arboviral diseases from 2015 to 2020 (if available).

	Dengue	Chikungunya	Yellow fever	Zika
2015 Cases	0	0	0	0
2015 Deaths	0	NA	NA	NA
2016 Cases	0	NA	NA	NA
2016 Deaths	0	NA	NA	NA
2017 Cases	0	NA	NA	NA
2017 Deaths	0	NA	NA	NA
2018 Cases	0	NA	NA	NA
2018 Deaths	0	NA	NA	NA
2019 Cases	0	NA	NA	NA
2019 Deaths	0	NA	NA	NA
2020 Cases	0	NA	NA	NA
2020 Deaths	0	0	0	0

(NA = Not Available)

55b. Were cases of other mosquito-borne arboviruses, not listed in the previous question, reported in your country from 2015-2020?

Yes

55c. Please select any of the following other mosquito-borne viruses that have been reported in your country from 2015-2020

West Nile	Yes
-----------	-----

55d. Please provide total number of cases and deaths due to each of the following other arboviruses that you selected from 2015-2020

	West Nile
2015 Cases	15
2015 Deaths	0
2016 Cases	0
2016 Deaths	0
2017 Cases	0
2017 Deaths	0
2018 Cases	36
2018 Deaths	0
2019 Cases	3
2019 Deaths	0
2020 Cases	0
2020 Deaths	0

56. Please provide the number of cases of locally acquired, mosquito-borne *Aedes*-borne arbovirus infections by case classification for 2020 and, if not available, for 2019

	Suspect cases	Probable cases	Confirmed cases	Deaths
Chikungunya	0	NA	NA	NA
Dengue	0	NA	NA	NA
Yellow Fever	0	NA	NA	NA
Zika	0	NA	NA	NA

57. Do arbovirus surveillance staff have any perceived reasons for increasing trends in arboviral disease incidence? Check all answers that apply.

Climate change (as evidenced by changes in meteorological data)	Yes
Construction activities	Not selected
Population migration (within the country or between countries)	Not selected
Increased availability of peri-domestic water-bearing containers suitable for mosquito egg deposition	Not selected

Section X: Surveillance staffing

58. During 2019 (prior to the Covid-19 pandemic), indicate below the number of arbovirus surveillance staff at the national level.

	Number of personnel
Clinicians	100
Epidemiologists	30
Laboratorians	30
Entomologists/ vector control specialists	30
Support staff (administration; logistics; other)	30

59. Indicate below how many total staff persons are needed at the national level in your country to achieve full epidemiology and laboratory capacity* to conduct arbovirus surveillance.

	Number of personnel
Clinicians	200
Epidemiologists	60
Laboratorians	60
Entomologists/vector control specialists	60
Support staff (administration; logistics; other)	60

60. Optional comments to explain responses to questions 58 and 59 above

les cliniciens sont des infectiologues dans les services des maladies infectieuses, services de neurologie, de pédiatrie, de réanimation qui ne sont pas chargés uniquement des arboviroses mais de toutes les autres pathologies, nous ne disposons pas d'épidémiologistes dans toutes les directions régionales de la santé, mais nous avons formé les responsables régionaux en épidémiologie de terrain FETP

61. The national health authority/ministry of health has access to expertise in clinical management of arboviruses (Check all that apply)

Within the ministry of health (eg, public health medical officers, clinicians in state hospitals)	Yes
Through other national agency with regulatory authority	Not selected
Through academic institution(s)	Yes
Private hospitals	Not selected
Does not have access	Not selected

62. The national health authority/ministry of health has access to expertise in arbovirus epidemiology (Check all that apply)

Within the ministry of health	Yes
Through other national agency with regulatory authority	Not selected
Through academic institution(s)	Yes
Does not have access	Not selected

63. The national health authority/ministry of health has access to expertise in arbovirus laboratory diagnosis (Check all that apply)

Within the ministry of health (e.g., public health laboratory scientists)	Yes
Through other national agency with regulatory authority	Not selected
Through academic institution(s)	Yes
Does not have access	Not selected
Other	institut pasteur de Tunis service de référence des arboviroses

64. The national health authority/ministry of health has access to expertise in entomology (Check all that apply)

Within the ministry of health	Not selected
Through other national agency with regulatory authority	Not selected
Through academic institution(s)	Not selected
Does not have access	Not selected
Other	service de référence en entomologie, institut pasteur de Tunis

65. Optional comments to explain responses to any of Questions 61-64

Section XI: Survey conclusion

66. If you have any further comments to add regarding arbovirus surveillance and control in your country, including whether arboviruses other than *Aedes*-borne arboviruses are of higher priority, please do so in the text field below

actuellement les arboviroses transmises par Aedes ne constituent pas une priorité pour notre pays, en effet la détection de l'Aedes albopictus est faite récemment et son extension est limitée, aucun cas de maladies n'a été détecté par contre le VWN continu à constituer une menace nous avons besoin d'un renforcement dans les capacité de laboratoire, la formation du personnel et la sensibilisation de la population